

AIRSTREAM® Interstate 19X

INTERSTATE - SUD

Durable, edgy, Red Rock décor with wood accents



Custom Airstream body kit with exclusive components and badging


About Interstate 19X


Designed to get you closer to the action with the gear you need, Interstate 19X is a fully loaded adventure van that packs a lot into its 19-foot floor plan. Exuding Airstream quality craftsmanship and iconic design, Interstate 19X features an aggressive stance, extreme comfort, cutting-edge amenities, and Best-in-Class safety and performance.


Built on the 19-foot Mercedes-Benz® Sprinter van chassis and equipped with 4x4 capability as standard, the Interstate 19X is purpose-made for outdoor and off-road enthusiasts who want to explore our natural world while enjoying the comforts of home. A highly maneuverable Class B motorhome, it's designed to equally handle highways and unpaved routes, off-grid boondocking and traditional camping, and the rigors of daily driving through parking lots, city streets, and neighborhoods.


Equipped with rugged features and powerful capability, the Interstate 19X is the perfect companion for those seeking the thrill and fun that comes with venturing beyond the beaten path.

Décor














Red Rock



Exterior Colors

Iridium Silver Metallic

Sleek and modern exterior color with protective coating around the front, hood, rear and sides







Floor Plan

After a day of outdoor adventures, return to the comfort and luxury of the Interstate 19X so you can rest and recharge for whatever adventures come tomorrow. Enjoy a complete wet bath with shower, a fully equipped galley with plenty of prep space, and a spacious convertible sleeping/living/dining area that can be set up as a queen bed or twin beds. An onboard generator provides the power you need for off-grid adventures that maintain the comforts of home. Even far from shore power hookups, the Interstate 19X can run the air conditioner for ultimate comfort and relaxation.

Exterior Features

The Interstate 19X comes standard with 4x4 capability, enabling adventurers to get closer to nature, tackle challenging terrain, and ensure peace of mind even in the most remote locations. The exterior is not only ruggedly stylish but also built to withstand the rigors of heading off pavement. The protective coating on the lower body and front hood protects against road debris and scratches, while a Tenzing brush guard with integrated lights offers even more style while traveling off-road.





Matte black running boards allow for easy entrance.



4-Wheel Drive and All-Wheel Drive power trains enable more off-road adventures.



Tenzing Brush guard with integrated LED lights provide rugged protection and illumination



Black wheels with All-Terrain tires are equipped to get you there safely and in style.



Powered armless patio awning extends with push-button ease.



250 Watts of solar keep your systems recharging and topped off.

Chassis Options


4X4

Chassis	Mercedes-Benz® Sprinter 2500 Extended
Engine	Mercedes-Benz® 3.0L V6 Turbo Diesel
Horsepower/Torque	188 HP @ 3800RPM/ 325 lbs torque @1400-2400RPM
Transmission	7G-TRONIC Plus Automatic
GVWR/GCWR	9,050 lbs / 13,930 lbs
UVW****	7,814 lbs
OCCC****	1,236 lbs
Tow Capacity**	Up to 5,000 lbs

AWD

Chassis	Mercedes-Benz® Sprinte 2500 Extended All Wheel Drive
Engine	Mercedes-Benz® 2.0L 4-Cylinder High Output Diese
Horsepower/Torque	211 HP @ 3,600 RPM 332 lb-ft torque @ 1600 - 2400 RPN
Transmission	9G-TRONIC Plus Automatic
GVWR/GCWR	9,050 lbs / 13,930 lbs
UVW****	7,814 lbs
OCCC****	1,236 lbs
Tow Capacity**	Up to 5,000 lbs





Specifications

System (Electronic Stability Program) Tow Package Hitch, 7 Pin Trailer Plug, Brake Control Pre-wire Trailer Safety Mercedes-Benz® Trailer Stabilit Assist System Overall Length 19 ft. 5 in. Overall Height 9 ft. 9 in. (inc A/C & Antenna) Overall Width 6 ft. 7.5 in. Interior Height/ Width 6 ft. 2 in. / 5 ft. 10 in. Tank Capacities 20 gals (Fresh), 16 gals (Grey), 9 gals (Waste) LPG 7.8 gals (33 lbs) 80% fill Diesel Fuel 24.5 gals Air Conditioner 13,500 BTU Furnace Diesel Fired Truma Combi Water Heater Diesel Fired Truma Combi Water Heater Diesel Fired Truma Combi Heated Tanks Fresh and Grey Tanks (12 volt) Refrigerator & 3.1 cu. ft. Fridge/ .33 cu. ft. Freezer (12 volt) Microwave 0.7 cu. ft. Locker Microwave Cooktop 1,000 Watt Single Burner Induction Safety Components Create Action of the program of the plant o		
Wheelbase 144" MPG* 16-18 Estimated Highway Chassis Safety System (Electronic Stability Program) Tow Package Hitch, 7 Pin Trailer Plug, Brake Control Pre-wire Trailer Safety Mercedes-Benz® Trailer Stability System Mercedes-Benz® Trailer Stability Assist System Mercedes-Benz® Antenna System Overall Mercedes-Benz® Antenna Stability Assist System Mercedes-Benz® Trailer Stability Assist System Mercedes-Benz® Antenna Stability Assist System Mercedes-Benz® Antenna Stability Assist System Mercedes-Benz® Adaptive Plug, Brake Control Pre-wire Adaptive Plug, Brake Control Pre-wire Adaptive Plug, Brake Control Pre-wire Adaptive Plug, Brake Antenna Mercedes-Benz® Anten	Emissions	
Chassis Safety System Chassis Safety System Mercedes-Benz® Adaptive ESF (Electronic Stability Program) Tow Package Trailer Safety System Mercedes-Benz® Trailer Plug, Brake Control Pre-wire Trailer Safety System Mercedes-Benz® Trailer Stability Assist System Overall Length Overall Height Overall Height Overall Width Overall Width Tank Capacities Capac	Axle Ratio	3.92
Chassis Safety System Mercedes-Benz® Adaptive ESF (Electronic Stability Program) Tow Package Trailer Safety System Mercedes-Benz® Trailer Plug, Brake Control Pre-wire Trailer Safety System Mercedes-Benz® Trailer Stability Assist System Overall Length 19 ft. 5 in. Overall Height Overall Width 6 ft. 7.5 in. Interior Height/ Width Tank Capacities 20 gals (Fresh), 16 gals (Grey), 9 gals (Waste) LPG 7.8 gals (33 lbs) 80% fill Diesel Fuel 24.5 gals Air Conditioner 13,500 BTU Furnace Diesel Fired Truma Combi Water Heater Diesel Fired Truma Combi Water Heater Diesel Fired Truma Combi Fresh and Grey Tanks (12 volt) Refrigerator & Freezer 3.1 cu. ft. Fridge/ .33 cu. ft. Freezer (12 volt) Microwave 0.7 cu. ft. Locker Microwave 1,000 Watt Single Burner Induction Safety Components LP Gas Detector, Smoke and CO ₂ Alarm, Fire Extinguisher ar First Aid Kit	Wheelbase	144"
System (Electronic Stability Program) Tow Package Hitch, 7 Pin Trailer Plug, Brake Control Pre-wire Trailer Safety Mercedes-Benz® Trailer Stabilit Assist System Overall Length 19 ft. 5 in. Overall Height 9 ft. 9 in. (inc A/C & Antenna) Overall Width 6 ft. 7.5 in. Interior Height/ Width 6 ft. 2 in. / 5 ft. 10 in. Tank Capacities 20 gals (Fresh), 16 gals (Grey), 9 gals (Waste) LPG 7.8 gals (33 lbs) 80% fill Diesel Fuel 24.5 gals Air Conditioner 13,500 BTU Furnace Diesel Fired Truma Combi Water Heater Diesel Fired Truma Combi Water Heater Diesel Fired Truma Combi Heated Tanks Fresh and Grey Tanks (12 volt) Refrigerator & 3.1 cu. ft. Fridge/ .33 cu. ft. Freezer (12 volt) Microwave 0.7 cu. ft. Locker Microwave Cooktop 1,000 Watt Single Burner Induction Safety Components Create Action of the program of the plant o	MPG*	16-18 Estimated Highway
Trailer Safety System Overall Length Overall Height Overall Width Interior Height/ Width Tank Capacities Diesel Fuel Air Conditioner Furnace Diesel Fired Truma Combi Water Heater Heated Tanks Refrigerator & Freezer Freezer Control Pre-wire Mercedes-Benz® Trailer Stabilit Assist System 9 ft. 9 in. (inc A/C & Antenna) 6 ft. 7.5 in. 6 ft. 2 in. / 5 ft. 10 in. 20 gals (Fresh), 16 gals (Grey), 9 gals (Waste) 13,500 BTU Diesel Fired Truma Combi Water Heater Diesel Fired Truma Combi Fresh and Grey Tanks (12 volt) Air Conditioner Cooktop 1,000 Watt Single Burner Induction LP Gas Detector, Smoke and CO ₂ Alarm, Fire Extinguisher ar First Aid Kit	_	Mercedes-Benz® Adaptive ESP® (Electronic Stability Program)
Overall Length Overall Length 19 ft. 5 in. Overall Height Overall Width 6 ft. 7.5 in. Interior Height/Width 6 ft. 2 in. / 5 ft. 10 in. Tank Capacities 20 gals (Fresh), 16 gals (Grey), 9 gals (Waste) LPG 7.8 gals (33 lbs) 80% fill Diesel Fuel 24.5 gals Air Conditioner 13,500 BTU Furnace Diesel Fired Truma Combi Water Heater Diesel Fired Truma Combi Fresh and Grey Tanks (12 volt) Refrigerator & 3.1 cu. ft. Fridge/ .33 cu. ft. Freezer (12 volt) Microwave O.7 cu. ft. Locker Microwave 1,000 Watt Single Burner Induction LP Gas Detector, Smoke and CO ₂ Alarm, Fire Extinguisher ar First Aid Kit	Tow Package	•
Overall Height Overall Width Overall Width Overall Width Offi. 7.5 in. Interior Height/Width Offi. 2 in. / 5 ft. 10 in. Tank Capacities Ogals (Fresh), 16 gals (Grey), 9 gals (Waste) LPG Ogals (Fresh), 16 gals (Grey), 9 gals (Waste) LPG Ogals (Fresh), 16 gals (Grey), 9 gals (Waste) LPG Ogals (Fresh), 16 gals (Grey), 9 gals (Waste) LPG Ogals (Fresh), 16 gals (Grey), 9 gals (Waste) Induction Tank Capacities Ogals (Fresh), 16 gals (Grey), 9 gals (Waste) Induction Safety Components Ogals (Fresh), 16 gals (Grey), 9 gals (Waste) Diesel Firesh), 16 gals (Grey), 9 gals (Waste) Induction Induction Ogals (Fresh), 16 gals (Grey), 9 gals (Waste) Induction Ind	_	Mercedes-Benz® Trailer Stability Assist System
Overall Width Interior Height/ Width 6 ft. 2 in. / 5 ft. 10 in. 20 gals (Fresh), 16 gals (Grey), 9 gals (Waste) LPG 7.8 gals (33 lbs) 80% fill Diesel Fuel 24.5 gals Air Conditioner 13,500 BTU Furnace Diesel Fired Truma Combi Water Heater Diesel Fired Truma Combi Fresh and Grey Tanks (12 volt) Refrigerator & 3.1 cu. ft. Fridge/ .33 cu. ft. Freezer (12 volt) Microwave O.7 cu. ft. Locker Microwave 1,000 Watt Single Burner Induction LP Gas Detector, Smoke and CO ₂ Alarm, Fire Extinguisher ar First Aid Kit	Overall Length	19 ft. 5 in.
Interior Height/ Width Tank Capacities 20 gals (Fresh), 16 gals (Grey), 9 gals (Waste) LPG 7.8 gals (33 lbs) 80% fill Diesel Fuel 24.5 gals Air Conditioner 13,500 BTU Furnace Diesel Fired Truma Combi Water Heater Diesel Fired Truma Combi Fresh and Grey Tanks (12 volt) Refrigerator & 3.1 cu. ft. Fridge/ .33 cu. ft. Freezer (12 volt) Microwave Cooktop 1,000 Watt Single Burner Induction LP Gas Detector, Smoke and CO ₂ Alarm, Fire Extinguisher ar First Aid Kit	Overall Height	9 ft. 9 in. (inc A/C & Antenna)
Width Tank Capacities 20 gals (Fresh), 16 gals (Grey), 9 gals (Waste) LPG 7.8 gals (33 lbs) 80% fill Diesel Fuel 24.5 gals Air Conditioner 13,500 BTU Furnace Diesel Fired Truma Combi Water Heater Diesel Fired Truma Combi Heated Tanks Fresh and Grey Tanks (12 volt) Refrigerator & 3.1 cu. ft. Fridge/ .33 cu. ft. Freezer (12 volt) Microwave 0.7 cu. ft. Locker Microwave 1,000 Watt Single Burner Induction Safety Components LP Gas Detector, Smoke and CO ₂ Alarm, Fire Extinguisher ar First Aid Kit	Overall Width	6 ft. 7.5 in.
Parity Capacities 9 gals (Waste) LPG 7.8 gals (33 lbs) 80% fill Diesel Fuel 24.5 gals Air Conditioner 13,500 BTU Furnace Diesel Fired Truma Combi Water Heater Diesel Fired Truma Combi Heated Tanks Fresh and Grey Tanks (12 volt) Refrigerator & 3.1 cu. ft. Fridge/ .33 cu. ft. Freezer (12 volt) Microwave 0.7 cu. ft. Locker Microwave Cooktop 1,000 Watt Single Burner Induction Safety Components LP Gas Detector, Smoke and CO ₂ Alarm, Fire Extinguisher ar First Aid Kit		6 ft. 2 in. / 5 ft. 10 in.
Diesel Fuel Air Conditioner Furnace Diesel Fired Truma Combi Water Heater Diesel Fired Truma Combi Heated Tanks Fresh and Grey Tanks (12 volt) Refrigerator & Freezer 3.1 cu. ft. Fridge/ .33 cu. ft. Freezer (12 volt) Microwave O.7 cu. ft. Locker Microwave 1,000 Watt Single Burner Induction LP Gas Detector, Smoke and CO ₂ Alarm, Fire Extinguisher ar First Aid Kit	Tank Capacities	
Air Conditioner 13,500 BTU Furnace Diesel Fired Truma Combi Water Heater Diesel Fired Truma Combi Heated Tanks Fresh and Grey Tanks (12 volt) Refrigerator & 3.1 cu. ft. Fridge/ .33 cu. ft. Freezer (12 volt) Microwave 0.7 cu. ft. Locker Microwave Cooktop 1,000 Watt Single Burner Induction Safety Components LP Gas Detector, Smoke and CO ₂ Alarm, Fire Extinguisher ar First Aid Kit	LPG	7.8 gals (33 lbs) 80% fill
Furnace Diesel Fired Truma Combi Water Heater Diesel Fired Truma Combi Heated Tanks Fresh and Grey Tanks (12 volt) Refrigerator & 3.1 cu. ft. Fridge/ .33 cu. ft. Freezer (12 volt) Microwave 0.7 cu. ft. Locker Microwave Cooktop 1,000 Watt Single Burner Induction LP Gas Detector, Smoke and CO ₂ Alarm, Fire Extinguisher ar First Aid Kit	Diesel Fuel	24.5 gals
Water Heater Diesel Fired Truma Combi Heated Tanks Fresh and Grey Tanks (12 volt) Refrigerator & 3.1 cu. ft. Fridge/ .33 cu. ft. Freezer (12 volt) Microwave 0.7 cu. ft. Locker Microwave Cooktop 1,000 Watt Single Burner Induction LP Gas Detector, Smoke and CO ₂ Alarm, Fire Extinguisher ar First Aid Kit	Air Conditioner	13,500 BTU
Heated Tanks Fresh and Grey Tanks (12 volt) Refrigerator & 3.1 cu. ft. Fridge/ .33 cu. ft. Freezer (12 volt) Microwave O.7 cu. ft. Locker Microwave 1,000 Watt Single Burner Induction LP Gas Detector, Smoke and CO ₂ Alarm, Fire Extinguisher ar First Aid Kit	Furnace	Diesel Fired Truma Combi
Refrigerator & 3.1 cu. ft. Fridge/.33 cu. ft. Freezer (12 volt) Microwave 0.7 cu. ft. Locker Microwave Cooktop 1,000 Watt Single Burner Induction LP Gas Detector, Smoke and CO ₂ Alarm, Fire Extinguisher ar First Aid Kit	Water Heater	Diesel Fired Truma Combi
Freezer .33 cu. ft. Freezer (12 volt) Microwave 0.7 cu. ft. Locker Microwave 1,000 Watt Single Burner Induction LP Gas Detector, Smoke and CO ₂ Alarm, Fire Extinguisher ar First Aid Kit	Heated Tanks	Fresh and Grey Tanks (12 volt)
Cooktop 1,000 Watt Single Burner Induction LP Gas Detector, Smoke and CO ₂ Alarm, Fire Extinguisher ar First Aid Kit	_	
Safety Components Induction LP Gas Detector, Smoke and CO ₂ Alarm, Fire Extinguisher ar First Aid Kit	Microwave	0.7 cu. ft. Locker Microwave
Components CO ₂ Alarm, Fire Extinguisher ar	Cooktop	
Dlumbing System Masorator Dump System	_	CO ₂ Alarm, Fire Extinguisher and
Flumbing System Macerator Fump System	Plumbing System	Macerator Pump System
TV Antenna Directional In-motion VHF/UHF	TV Antenna	Directional In-motion VHF/UHF
TV Cable Cable TV Outlets/Hook-ups		Cable TV Outlets/Hook-ups
TV Satellite Pre-wired for Satellite Dish		·
Connected 5G Pre-wired for Airstream Antenna Connected		

Electrical System	Multiplex Control System w/ Touch Screen/Touch Pad Electronic Controls with Energy Management System
Converter/Inverter	80 amp Multi-stage Charger, 2,000 Watt Pure Sine Inverter
Generator	2.5 kW (LPG) Ultra Quiet Gen w/ Auto Start
Batteries (Coach)	2 – 100 Ah Deep Cycle Lithium Batteries (LiFePO4)
Shore Power	30 amp/110 Volt Service
Solar Power	250 Watt
E1 Package	OPT
Front Bed System	OPT
Support	3 Year 24/7 Coach-Net® Roadside Assistance
Warranty***	3 Years/36,000 Miles Airstream
(Chassis specs may vary, contact your Airstream Dealer)	3 Years/36,000 Miles Mercedes- Benz® 5 Years/100,000 Miles Mercedes- Benz® Engine

Exterior

Silver (MB Iridium) with Black Package	STD
Durable Black Protective Coating (lower side moldings)	STD
Durable Black Protective Coating (front & rear bumpers)	STD
Durable Black Protective Coating (front hood)	STD
Durable Black Wheels	STD
All Season-All Terrain Rugged On/Off Road Tires	STD
Black Running Boards (driver/passenger side)	STD
Tenzing Front Brush Guard with HD LED Lights	STD
Black Power Armless Patio Awning w/ LED Lighting	STD
Under-Carriage LED Lights	STD
Exterior Shower	STD
Exterior Sliding Screen Door (side)	STD
Exterior Zippered Screen System (rear)	STD
Exterior Gear Wash Station (rear)	STD

Safety

Multiple Safety Air Bags	STD
Active Brake Assist	STD
Active Lane Keeping Assist	STD
Active Distance Assist - Distronic Plus	STD
Active Driver Attention Assist	STD
E-Call Assist	STD
Traffic Sign Assist	STD
Wet Wiper System	STD
360 Degree Camera	STD

Interior

Airstream Aluminum (walls, ceiling, window trim)	STD
Colorado Black UltraLeather with Stone Inset (front seats)	STD
Simtex Marine-Grade Carbon Gray (rear seating/sleeping)	STD
Rugged Grey Flooring (waterproof, stain and scratch resistant)	STD
Flush Mount Matte Finish Cabinets	STD
Flex Bed System (74" x 70" Queen or Twin)	STD
Rear Convertible Space (sleeping, living, working, storing,)	STD
Exhaust Fan	STD
Modular Table System (two mounting positions)	STD
Bathroom (heated wetbath with toilet, shower, sink)	STD
Galley (solid surface countertop w/edge band lighting, sink, storage)	STD

Interior Storage

Aluminum Aircraft L-Track Storage System (Ceiling, Floor, Walls)	STD
Flex Storage Solutions (hang, secure, tie-down, cinch gear)	STD
Overhead Storage Compartments/Solutions	STD
Lower Storage Compartments (under seating)	STD

^{*} Actual mileage may vary due to load, driving style, and overall conditions.

^{****} Weights are approximate. See Vehicle Sticker for specific vehicle information.



^{**} Typical tow capacity will vary and is dependent upon build spec and intended vehicle loading with people, cargo, and fluids.

^{***} New Vehicle Limited Warranty. Individual components may vary. See Owners Manual for specific warranty coverage and information.

Why You'll Love It

With clever storage throughout, Interstate 19X has plenty of room to bring along travel necessities and all the gear your adventure requires. The spacious rear area offers room for paddleboards, bikes, or other large gear, with an L-track storage system on the floors, walls, and ceiling to securely stowe your gear.

Interstate 19X joins the popular 24-foot Interstate 24X and expands our adventurous lineup of motorized RVs. Hit the road to big adventures in a small-footprint design that maximizes use of space.


Add the optional E1 Package to add even more off-grid capability, with larger batteries and a single-fuel-source heating and hot water system that draws fuel from the vehicle's tank.






How It's Made

Each Mercedes-Benz Sprinter van chassis arrives in Jackson Center, Ohio fully loaded with safety and security features and one of the most powerful and dependable engines under the hood. Our expert craftspeople add external features like RV windows, vents, air conditioners, awnings, and undercarriage features like generators, holding tanks, and batteries. Standard seats are removed and re-upholstered with plush Ultraleather, while the interior is outfitted with electrical wiring harnesses, plumbing, gas lines, and insulation. We hand-craft every cabinet and storage locker in our woodshop, which are then installed alongside showers, beds, tables, and kitchen appliances. Every Airstream touring coach is put through an extensive water check to ensure there are no leaks before quality inspection teams test every component, system, and function before it goes out the door to a customer.





is watertight.





419 West Pike Street, P.O. Box 629 Jackson Center, OH 45334 USA 937-596-6111

www.airstream.com

AIRSTREAM® + Mercedes-Benz®

Roll with the Best®

Product information, specifications, and photography in this brochure were as accurate as possible at time of printing. Photographs may contain some features that are optional on your vehicle.

Since we continually strive to improve our products, actual products may differ. Prices and specifications are subject to change without notice. All capacities are approximate and dimensions are nominal. Some features or options may be different or unavailable in other countries.

Warning – This information is intended as a guide only. Weights of individual vehicles may vary. Consult your owner's manual for complete loading, weighing, and towing instructions. Do not overload the travel trailer.

AIRSTREAM®, the Airstream travel trailer trade dress, and all related model names, slogans, logos, trade dress, and trademarks are owned or used under license by Airstream, Inc. All other trademarks are owned by their respective owners.